### Prime Panels™

### **Prime Panels ECNZ certified range**

- Green Building Summary Sheet



Product Name Prime Panels ECNZ certified MDF, Melamine and Veneer options

**Document Type** Green Building Rating Compatibility Analysis

Document Code ES-GSNZ-18-91b
Client NZ Panels Group

Prime Panels offers a range of ECNZ certified MDF, Melamine and Veneer options. The range of low-pressure laminate pre-finished panels are available in a wide selection of designs and finishes and are on E0 or lower formaldehyde emitting board. It is suitable for use in cabinetry, shelving and furniture in dry areas.





Cross Stor	Credit 13	1 point
Green Star Design & As Built NZ (V1)	Credit 20	0 points
Design & As Built NZ (V1)	Credit 21	Sustainability Factor (SF) = 1
Crean Char	Credit 12	2 points
Green Star Interiors NZ (V1)	Credit 20	0 points
IIIeioisinz (VI)	Credit 21	Sustainability Factor (SF) = 1
Crean Char Derference N7		
Green Star Performance NZ (V1)	Credit 21	1 point
( • 1)		
Green Star NZ (V3)	MAT 4	1 point
Office / Industrial / Interiors `+ Education V3.1	MAT 6	Pre-requisite – <i>Excluded (N/A)</i> Criteria A – 2 points Criteria B – <i>Excluded (N/A)</i>



Homestar V4	MAT-1	2 points
nomestar v4	MAT-2	1 point
Homestar	MAT-1	1 merit
(V2 and V3)	MAT-2	0.75 point

### Prime Panels™

### Prime Panels ECNZ certified range

- Green Building Summary Sheet



Manner in which the product may contribute towards points					
Products must meet specific criteria (e.g. Paint VOC emissions, carpets, etc)					
Products may help achieve points by their very nature, if they are specified and installed (e.g. bicycle racks)	•				
Products may help achieve an outcome but they must be used in a specific manner (e.g. lighting control and zoning systems) OR The nominated product(s) can contribute towards the outcome but many other products or factor influence that same outcome (E.g. Potable Water Calculator)	0				

### Disclaimer - Please read this carefully

Each Building Environmental Rating Tool and Scheme nominated herein is owned and operated by its respective organisation, independently of EnviroSpec Ltd., and EnviroSpec Ltd. equally operates independently of any nominated rating scheme. The information represented on EnviroSpec is not endorsed by any of these organisations in a direct manner and any decision regarding final approval or refusal of points and certifications where the nominated product(s) is used is at the final discretion of the respective owners and operators of the nominated Building Environmental Rating Schemes, and any network of assessors or auditors that are accredited to operate under their assessment structure, in accordance with all associated technical manuals, rules and guidelines. For detailed technical information about each Building Environmental Rating Scheme and product related criteria please refer to the appropriate technical manuals. EnviroSpec does not accept liability for any loss or damages resulting from the use of this document and emphasizes that this document is provided as guidance only, Use of, or reliance upon, any information contained in this report is at the user's own risk. The information presented in this report is valid for the Building Environmental Rating Schemes and Tools nominated herein only. As and when the respective owners and operators publish updates or new standards or guidelines, the information may require updating. EnviroSpec Ltd. will only update information in this report upon receiving written consent from the Manufacturer, Supplier or upon request from an operative organisation of one of the Building Environmental Rating Tools nominated herein. It is the responsibility of the reader to check for regular updates.

### Prime Panels<sup>™</sup>

# Prime Panels ECNZ certified range - Green Building Summary Sheet



Rating Tool	Credit / category	Points available	Requirements	Contribution symbol	Contribution Potential	Details of compliance
	Credit 13	2	This credit rewards the use of low VOC and low formaldehyde interior products and finishes that safeguard occupant health through the reduction in internal air pollutant levels.  - 1 point is available where at least 95% of all internally applied paints, adhesives, sealants and carpets meet stipulated 'Total VOC Limits', or, where no paints, adhesives, sealants or carpets are used in the building.  - 1 point is available where at least 95% of all engineered wood products meet stipulated formaldehyde limits or no new engineered wood products are used in the building.	✓	1 point	The nominated product has E0 or lower formaldehyde emissions, as well as ECNZ certification, satisfying the requirements for engineered wood products.  Note: achieving 1 point here is dependent on the remaining products in the category also being compliant.
Green Star Design & As Built NZ (V1)	Credit 20	3	This credit rewards projects that achieve a reduced environmental impact in the sourcing of steel, timber and PVC.  Steel - 1 point is available where 95% of the building's steel (by mass) is sourced from a Responsible Steel Maker (manufacturer); and  For steel framed buildings - at least 60% of the fabricated structural steelwork is supplied by a responsible steel fabricator/steel contractor.  For concrete framed buildings - at least 60% (by mass) of all reinforcing bar and mesh is produced using energy-reducing processed in its manufacture holds Environmental Choice EC-41-15 certification.  Timber - 1 point is available where at least 95% (by cost) of all timber used in the building and construction works is either certified by a recognised forest certification scheme, or is from a reused source.  PVC - 1 point is available where 90% (by cost) of all permanent formwork, pipes, flooring, blinds and cables in a project are either PVC free, or meet the GBCA's Best Practice Guidelines for PVC.	X	0 points	FSC is not currently available for the nominated product(s).
	Credit 21	3	This credit rewards the selection of products that meet transparency and sustainability requirements. Points are awarded based on the Project Sustainability Value (PSV*) and comparing it with the Project Contract Value (PCV).  Benchmarks are:  - 1 point is awarded if PSV > 3% of PCV - 1 point is awarded if PSV > 6% of PCV - 1 point is awarded if PSV > 9% of PCV  The Project Sustainability Value is the sum of all the compliant product's "Product Sustainability Value" (PSV).  The PSV = Sustainability Factor x cost of product	✓	Sustainability Factor (SF) = 1	This Timber product holds a level A approved eco-label, therefore the Product Sustainability Value (PSV) can be calculated as: "Product Cost x 1".

# Prime Panels ECNZ certified range - Green Building Summary Sheet



Rating Tool	Credit / category	Points available	Requirements	Contribution symbol	Contribution Potential	Details of compliance
	Credit 12	6	This credit rewards the use of plants, as well as low VOC and low formaldehyde interior products and finishes that safeguard occupant health through the reduction in internal air pollutant levels.  - 2 points are available where at least 95% of all internally applied paints, adhesives, sealants and carpets meet stipulated 'Total VOC Limits', or, where no paints, adhesives, sealants or carpets are used in the building.  - 2 points are available where at least 95% of all engineered wood products meet stipulated formaldehyde limits or no new engineered wood products are used in the building.  - 2 points are available where indoor plants are distributed across the nominated area and are regularly maintained.	✓	2 points	The nominated product has E0 or lower formaldehyde emissions, as well as ECNZ certification, satisfying the requirements for engineered wood products.  Note: achieving 2 points here is dependent on the remaining products in the category also being compliant.
Green Star Interiors NZ (V1)	Credit 20	2	This credit rewards projects that achieve a reduced environmental impact in the sourcing of timber and PVC.  Timber - 1 point is available where at least 95% (by cost) of all timber used in the building and construction works is either certified by a recognised forest certification scheme, or is from a reused source.  PVC - 1 point is available where 90% (by cost) of all permanent formwork, pipes, flooring, blinds and cables in a project are either PVC free, or meet the GBCA's Best Practice Guidelines for PVC.	X	0 points	FSC is not currently available for the nominated product(s).
	Credit 21	19	This credit rewards the selection of products that meet transparency and sustainability requirements. Points are awarded based on the Project Sustainability Value (PSV*) and comparing it with the Total Materials Cost (TMC).  Benchmarks are:  - 3.8 points are awarded if PSV > 20% of TMC  - 7.2 points are awarded if PSV > 40% of TMC  - 11.4 points are awarded if PSV > 60% of TMC  - 15.2 points are awarded if PSV > 80% of TMC  - 19 points are awarded if PSV = 100% of TMC  The Project Sustainability Value is the sum of all the compliant product's "Product Sustainability Value" (PSV).  The PSV = Sustainability Factor x cost of product	✓	Sustainability Factor (SF) = 1	This Timber product holds a level A approved eco-label, therefore the Product Sustainability Value (PSV) can be calculated as: "Product Cost x 1".
Green Star Performance NZ (V1)	Credit 21	3	This credit rewards the measurement and reduction of the environmental impacts of materials in building operations, maintenance and upgrades.  Benchmarks are:  1 point is awarded for developing a sustainable procurement framework  1 point is awarded where the top 3 consumable materials are purchased in accordance with the procurement framework  1 point is awarded where > 75% by cost of refurbishment and maintenance materials are purchased in accordance with the procurement framework, or 0.5 points if > 50% by cost comply.  Refurbishment materials - This includes at a minimum: Paints adhesives, sealants and carpets (to comply with Green Star V3 "Low emitting materials"), Concrete (to comply with Green Star V3 "Concrete and Aggregate"), Steel (to comply with Green Star V3 "Steel").  * Note: This credit can, if desired, be extended to include doors, wall finishes and paneling, wall and roof insulation, carpet, floor tiles, ceiling tiles, light fixtures and any other building component owned by the building owner (e.g. roof replacement, built in furniture and joinery, etc)  This only applies if the refurbishment work is > \$5/m2, otherwise the credit is deemed N/A	✓	1 point	If Engineered Wood Products are part of the refurbishment materials purchased by the Building Owner / Landlord (as part of the base building), then they are to be included in the calculation.  The nominated product has E0 or lower formaldehyde emissions and therefore satisfies the credit criteria for low product emissions. It also carries a level A approved ecolabel.  Note: achieving 0.5 or 1 point here is dependent on total % achieved when including the other refurbishment products purchased.

### Prime Panels<sup>№</sup>

# Prime Panels ECNZ certified range - Green Building Summary Sheet



Rating To	ool	Credit / category	Points available	Requirements	Contribution symbol	Contribution Potential	Details of compliance
Homesta		MAT-1	9 (all products combined)	This credit rewards the selection of eco-preferred and responsibly sourced materials. Floor coverings are one of thirteen possible construction types eligible for up to 1 merit each.	✓	1 merit (out of 1 available for this construction system)	The nominated product is Environmental Choice NZ certified, satisfying the requirements for this credit.
(V2 and V	73) -	MAT-2	3 (all products combined)	This credit rewards the use of low VOC and low formaldehyde interior products and finishes. This product is eligible for 0.75 points out of 3.	✓	0.75 points (out of 0.75 available for engineered wood)	This product satisfies the low Formaldehyde requirements of this credit.
Homestar	V4	MAT-1	10	This credit rewards the use of eco-preferred and responsibly sourced materials. Flooring products are one of thirteen possible material categories eligible for 2 points each.	✓	2 points  (out of 2 points available for this material category)	The nominated product is Environmental Choice NZ certified, satisfying the requirements for this credit.
		MAT-2	4	This credit rewards the use of low VOC and low formaldehyde interior products and finishes. Floor coverings are one of four material categories eligible for 1 point each.	✓	1 point (out of 1 available for engineered wood)	This product satisfies the low Formaldehyde requirements of this credit.

### **LEGACY GREEN STAR NZ TOOLS**

Tool	Credit category	Points available	Requirements	Contribution symbol	Contribution Potential	Details of compliance
Green Star NZ Office V3.0 + Education V3.1 + Industrial V3.0	MAT-4	5	This credit rewards up to 5 points in total.  CRITERIA A  • 4 points are allocated for the use of low VOC and low formaldehyde emitting products (including Applied coatings, Adhesives & Sealants, Flooring, Ceilings, Internal walls & partitions) – Each product type is worth up to 1 point.  Benchmarks are:  - 0.5 points are awarded if > 50% of a selected product type complies  - 1 point is awarded if > 90% of a selected product type complies.  CRITERIA B  • 1 point is allocated for the use of low formaldehyde emitting engineered wood products (exposed or concealed applications).  Benchmarks are:  - 0.5 points are awarded if > 50% of engineered wood products complies.  - 1 point is awarded if > 90% of engineered wood products complies.	✓	1 point	This product satisfies the low Formaldehyde requirements of this credit.
Green Star NZ Interiors V3.0	MAT-4	6	This credit rewards up to 6 points in total.  CRITERIA A  • 5 points are allocated for the use of low VOC and low formaldehyde emitting products (including Applied coatings, Adhesives & Sealants, Flooring, Ceilings, Internal walls & partitions and fit out items) – Each product type is worth up to 1 point.  Benchmarks are:  • 0.5 points are awarded if > 50% of a selected product type complies  • 1 point is awarded if > 90% of a selected product type complies.  CRITERIA B  • 1 point is allocated for the use of low formaldehyde emitting engineered wood products (exposed or concealed applications).  Benchmarks are:  • 0.5 points are awarded if > 50% of engineered wood products complies.  - 1 point is awarded if > 90% of engineered wood products complies.	•	1 point	This product satisfies the low Formaldehyde requirements of this credit.

## Prime Panels<sup>™</sup>

# Prime Panels ECNZ certified range - Green Building Summary Sheet



			This credit rewards up to 3 points in total.			
		PRE-REQUISIT CRITERIA				
			• 1 point is awarded where 90% (by volume) of all new timber products used in the project and construction works are from certified sustainably managed forests (FSC) OR are re-used or recycled.			PRE-REQUISITE CRITERIA.
			Where the pre-requisite point is achieved up to a maximum of 2 additional points can be achieved through a combination of criteria A and B:			
Green Star NZ			CRITERIA A			This product falls under a product
Office			• Up to 2 points are allocated for the use of Environmentally			application area that excludes it
V3.0			preferable wood products (for applications including structural and non-structural timber including wall, floor and			from the FSC pre-requisite criteria.
+			roof structures / External and internal cladding / Structural			CRITERIA A. The nominated product has ECNZ
Education			formwork / Flooring, wall and ceiling finishes / Internal and external joinery including windows, doors and other			certification, contributing up to 2
V3.1	MAT-6	3	specialist uses of timber such as installed furnishings,	✓	Up to	points in the calculator (if the other products also comply. And the project team achieves the 60%
+			joinery fixtures or balustrades).		3 points	
Industrial			Benchmarks are:			benchmark)
V3.0		- 1 point is awarde	- 1 point is awarded if > 30% of selected products comply.			CRITERIA B.
+			- 2 points are awarded if > 60% of selected products			The nominated product is typically used for interior finishing
Interiors			comply.  CRITERIA B			applications and therefore does not
V3.0						qualify for inclusion under Criteria  B.
			Up to 1 point is allocated for timber used (excluding interior finishing timber products) that has reduced toxicity through either minimum treatment levels / Arsenic , Chrome , LOSP free treatments / non chemical treatments or use of untreated timber.			D.
			Benchmarks are:			
			- 0.5 points are awarded if > 30% of selected products comply.			
			- 1 point is awarded if > 60% of selected products comply.			